ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 595 (2000) 323–325

Journal of Organometallic Chemistry

Contents of Volume 595

Dehydrocoupling polymerization of arylsilanes with chloro(aryloxy)bis(cyclopentadienyl)zirconium complex catalysts
Y. Obora, M. Tanaka 1

Synthese und Struktur von {{*N*-[Bis(diisopropylamino)phosphanyl]amino(phenyl)carben}dicarbonyl(η^5-methylcyclopentadienyl)mangan(0)} und versuchte Darstellung von {[2-Bis(trimethylsilyl)methyl-3-phenyl-2*H*-azaphosphiren-κ*P*]dicarbonyl(η^5-methylcyclopentadienyl)mangan(0)}
R. Streubel, M. Hobbold, J. Jeske, P.G. Jones 12

Monomeric organoaluminium complexes $RAl(OR^*)_2$ and R_2AlOR^* with an optically active amino alkoxide ligand
T. Gelbrich, E. Hecht, K.-H. Thiele, J. Sieler 21

Rhodium-catalyzed phenylation of *N*-arylsulfonyl aldimines with sodium tetraphenylborate or trimethyl(phenyl)stannane
M. Ueda, N. Miyaura 31

Chemical behaviour of alkyl imido cyclopentadienyl niobium and tantalum(V) complexes in insertion processes. X-ray crystal structures of [MCpCl(NAr){η^2-C(Me)=NAr}] (Ar = 2,6-$Me_2C_6H_3$; M = Nb, Cp=η^5-$C_5H_4SiMe_3$; M = Ta, Cp = η^5-C_5Me_5) and [Ta(η^5-C_5Me_5)Me(NAr){η^2-C(CH_2CMe_2Ph)=O}] (Ar = 2,6-$Me_2C_6H_3$)
A. Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martín, F. Sánchez. 36

Cyclometallation of anthracen-9-ylmethylene-phenyl-amine by palladium(II) compounds
J. Albert, R. Bosque, J. Granell, R. Tavera 54

Diorganotin(IV) derivatives of arenephosphinothiol ligands. The crystal structure of [Ph_2Sn{2-(Ph_2P)C_6H_4S}$_2$] and [Me_2Sn{2-(Ph_2PO)-6-(Me_3Si)C_6H_3S}$_2$]
P. Pérez-Lourido, J. Romero, J.A. García-Vázquez, A. Sousa, J. Zubieta, U. Russo 59

Electron-transfer processes in the reaction of K^-, K^+(15-crown-5)$_2$ with carbazole: unexpected formation of metallic potassium
Z. Grobelny, A. Stolarzewicz, G. Adamus, G. Buika, J.V. Gražulevičius 66

Synthesis, electrochemistry and structural characterization of new dimeric cobalt η^2-alkyne carbonyl complexes
W.-Y. Wong, H.-Y. Lam, S.-M. Lee 70

Convenient routes to mono- and dinuclear (C_5Me_5)iron(II) complexes bearing acyl, alkynyl, aryl and thienyl ligands
J. Kiesewetter, G. Poignant, V. Guerchais 81

Regiospecific synthesis of alpha-lithiated alkoxysilanes
T.F. Bates, S.A. Dandekar, J.J. Longlet, K.A. Wood, R.D. Thomas 87

Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions
T. Sturm, W. Weissensteiner, K. Mereiter, T. Kégl, G. Jeges, G. Petőlz, L. Kollár 93

Tetrameric thienylcopper and pentanuclear thienylcuprate
M. Håkansson, H. Eriksson, A. Berglund Åhman, S. Jagner 102

Evidence for the involvement of pentacoordinate P-intermediates during the UV light-mediated fragmentation of a 2-phosphabicyclo[2.2.2]octene 2-oxide in the presence of O-nucleophiles
S. Jankowski, J. Rudzinski, H. Szelke, G. Keglevich 109

Isocyanide ligation at ruthenium(II) complexes with chelating tertiary amine and porphyrin ligands. Structural and electrochemical studies
F.-W. Lee, M.-Y. Choi, K.-K. Cheung, C.-M. Che. 114

P–H functionalised phosphinoalkoxides as ligands: synthesis and catalytic properties of [Cp_2Zr(Me)(*cyclo*-1-O-2-PH(Tipp)-C_6H_{10})] (Tipp = 2,4,6-$Pr^i_3C_6H_2$), [Cp_2Zr(Me)(*cyclo*-1-O-2-PH(Tipp){$Mo(CO)_5$}-C_6H_{10})] and [$Cp_2Zr(BH_4)$(*cyclo*-1-O-2-PH(Mes)(BH_3)-C_6H_{10})] (Mes = 2,4,6-$Me_3C_6H_2$), and molecular structure of (R_C,R_C,R_P/S_C,S_C,S_P)-[Cp_2Zr(Me)(*cyclo*-1-O-2-PH(Tipp)-C_6H_{10})]
T. Koch, S. Blaurock, E. Hey-Hawkins, M. Galan-Fereres, D. Plat, M.S. Eisen 126

Reactivity of $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}dppm)]$ towards unsaturated sulfur-containing compounds, SO_2, CS_2 and ArNCS: facile carbon–sulfur bond cleavage at the diiron centre
G. Hogarth, M.H. Lavender, K. Shukri 134

Synthesis, optical nonlinearity and crystal structure of a novel mixed-chalcogen, thiolato-bridged complex $[(\eta^5\text{-}C_5H_5)_2Mo_2(\mu\text{-}S)(\mu\text{-}Te)(\mu\text{-}SPh)_2]$
P. Mathur, S. Ghose, R. Trivedi, M. Gelinsky, M. Rombach, H. Vahrenkamp, S. Banerjee, R. Philip, G.R. Kumar 140

Synthesis and characterization of Group 4 metallocene complexes with two disiloxanediyl bridges
J. Jung, S. Kyun Noh, D.-h. Lee, S. Keun Park, H. Kim 147

Bis(trimesitylgermylcarbodiimido)germylene, trimesitylgermylcyanamide and trimesitylgermylcarbodiimide
M. Rivière-Baudet, M. Dahrouch, H. Gornitzka 153

Reactions of $[\{\mu\text{-}\eta^2\text{-}C(R^1)=CHR^2\}(\mu\text{-}CO)Fe_2(CO)_6]^-$ with $(\mu\text{-}S_2)Fe_2(CO)_6$: synthesis and structures of $[\mu\text{-}\eta^2\text{-}C(R^1)=CHR^2](\mu\text{-}RS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ (R = alkyl, phenyl or acyl)
Z.-X. Wang, H. Zhao, Z.-Y. Zhou, X.-G. Zhou 158

Preparation, properties and reactions of metal-containing heterocycles: Part C: tetraazatetraphosphadimolybdacyclophanes: synthesis, isolation, characterization, and X-ray crystal structures
E. Lindner, M. Mohr, C. Nachtigal, R. Fawzi, G. Henkel 166

Synthesis and structure of Rh(I) tris(pyrazolyl)borate complexes of the type $Tp^{Ph,Me}RhL_1L_2$
M. Moszner, S. Wołowiec, A. Trösch, H. Vahrenkamp 178

N-Heterocyclic carbenes: Part 26. *N*-Heterocyclic carbene complexes of palladium(0): synthesis and application in the Suzuki cross-coupling reaction
V.P.W. Böhm, C.W.K. Gstöttmayr, T. Weskamp, W.A. Herrmann 186

Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2S_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2S_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ ($n = 3$, 4 and 6)
R. Hourihane, G. Gray, T. Spalding, T. Deeney 191

New cyclometallated platinum(II) compounds with thiosemicarbazones: crystal and molecular structure of $[Pt\{4\text{-}MeC_6H_3C(Me)=NN=C(S)NH_2\}(PPh_3)]$
D. Vázquez-García, A. Fernández, J.J. Fernández, M. López-Torres, A. Suárez, J.M. Ortigueira, J.M. Vila, H. Adams. 199

Synthesis and structural analysis of palladium(II) pyridinylpyrazole complexes by ^1H-, ^{13}C-, ^{15}N-NMR and X-ray diffraction. Comparison of binuclear methylpalladium, chloromethylpalladium, and dichloropalladium complexes by ^{15}N-NMR
A. Satake, H. Koshino, T. Nakata 208

Synthesis of dioxazaborocines from *N,N'*-alkylbridged-bis(bis(2-hydroxybenzyl)aminomethyl)amines
P.D. Woodgate, G.M. Horner, N.P. Maynard, C.E.F. Rickard. 215

Binuclear hydrido platinum(II) complexes: syntheses of $[\{Pt(P\text{–}P)\}_2(\mu\text{-}CHCH_2R)(\mu\text{-}H)][BF_4]$ (R = C_6H_5, H) and easy cleavage of a P–C bond in a chelating 1,4-bis (diphenyl)phosphinobutane (P–P)
A.L. Bandini, G. Banditelli, G. Minghetti 224

The X-ray crystallographic study of the reaction of bis(2-thienyl)ditelluride with tetrakis(triphenylphosphine)platinum or -palladium
R. Oilunkaniemi, R.S. Laitinen, M. Ahlgrén 232

cyclo-Boratrisiloxane and *cyclo*-diboratetrasiloxane derivatives and their reactions with amines: crystal and molecular structure of $(p\text{-}BrC_6H_4BO)_2(Ph_2SiO)_2$
M.A. Beckett, D.E. Hibbs, M.B. Hursthouse, K.M.A. Malik, P. Owen, K.S. Varma 241

Matrix isolation infrared and density functional theoretical studies of cryogenic reactions of silicon atoms with dimethyl ether and methanol: new route to generation and stabilization of transient silanones
V.N. Khabashesku, K.N. Kudin, J.L. Margrave, L. Fredin 248

Convenient route for the preparation of unsymmetrical phospholes via zirconacyclopentadienes
J. Hydrio, M. Gouygou, F. Dallemer, J.-C. Daran, G.G.A. Balavoine 261

The thermal rearrangement of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4(CO)Fe(CO)_2Fe(CO)\text{-}\eta^5\text{-}C_5H_4SiMe_2]-$ in the presence of phosphorus ligands
H. Sun, X. Teng, X. Huang, Z. Hu, Y. Pan 268

Reactions of $[Pt_2(\mu\text{-}S)_2(PPh_3)_4]$ with Group 6 and 7 metal carbonyls; crystal structure of the apparently unsaturated heterometallic complex $[Pt_2Re(\mu_3\text{-}S)_2(PPh_3)_4(CO)_3]^+$
H. Liu, C. Jiang, J.S.L. Yeo, K.F. Mok, L.K. Liu, T.S.A. Hor, Y.K. Yan. 276

[2 + 2]-Cycloaddukte PH-funktioneller Phosphenium-Komplexe mit Alkylisothiocyanaten: Darstellung von $C_5R_5(OC)_2$-M–P(H)(*t*-Bu)–C(=NR')–S (R = H, Me; M = Mo, W; R' = Me, Et, *t*-Bu) und Reaktion unter Beanspruchung der PH-Funktion: Phosphenium-Übergangsmetallkomplexe, 37
W. Malisch, K. Grün, O. Fey, C. Abd El Baky 285

Regioselective C–F and C–H bond activation: synthesis and structure of an asymmetric rhodium complex comprising a η^5:η^1:η^1-cyclopentadienyl-bis(phosphine) ligand
M. Nieuwenhuyzen, G.C. Saunders 292

Organopalladium(IV) complexes containing phosphine ligands, and the structure of the platinum(IV) complex $[PtMe_3(bpy)(PPh_3)][O_3SCF_3]$ (bpy = 2,2'-bipyridine)
A. Bayler, A.J. Canty, B.W. Skelton, A.H. White 296

Selectivity in alkynylation: the reaction between $Ru_2(LL)_4Cl$ and $Me_3SnC{\equiv}CR$ (LL = 2-anilinopyridine, 2-chloro- and 2-bromo-oxypyridine)
F.A. Cotton, S.-E. Stiriba, A. Yokochi 300

Book reviews 303

Erratum 307

Conference Calendar 313

Author Index of Volume 595 315
Subject Index of Volume 595 317
Contents of Volume 595 323